

REP

# **CONTENTS**

# 5

Single Post Bike Rack5
The Bike5
R-Rack5
Single Arch Bike Rack6
Sunset XS Bike Rack6
Squared Arch Bike Rack6
4-Way Bike Hanger Post7
Yield Rack7
Scooter Rack7
Chevron8
Peak Bike Rack8
Wall Hanger Single Bike Rack8
Bike Shelf Hanger9

# 18 CUSTOM PARKING

Something Fishy 3-D Bike Rack18
Something Fishy Flat Bike Rack18
Fish Stick
Sea-Breeze Rack19
Wave Crest Rack19
M-Rack With Custom End Panels $\ldots 19$
Pretzel Rack20
Bright Idea Rack20
Corkscrew Rack20
Accordion "Bike" Rack21

# 11 LOW VOLUME HIGH VOLUME BIKE PARKING PARKING SHELTERS

Wall Mount 10-Bike Rack11
Single Bike Stall11
Double Bike Stall11
Alternating Double Bike Stall12
Bike Stall Components12
M-Rack (Standard)12
Heavy Duty M-Rack13
Raked M-Rack13
3-Arch Angled Rack14
Multi-R Rail Rack14
Multi-Arch Rail Rack14
Triangle Loop Rack15
5-Loop Rack (Municipal Style)15
Ripple Rack15
High Density Rack16

# 22 **BIKE REPAIR**

Freestanding Bike Repair Post	.22
Freestanding Pump	.22
Wall Mount Repair Station	.22
Freestanding Bike Repair Post With Integrated Pump	.23

2-Post Bike Shelter	17
4-Post Bike Shelter	17
Cycle Sitter	17



# **ABOUT GREENSPOKE**

The team at **Greenspoke** has extensive experience with industrial design and the fabrication of bike parking products. We offer a diverse collection of bike parking and repair solutions with an unwavering commitment to producing durable, attractive and eco-friendly products. Whether our catalogue offers the solution you're looking for or simply sparks a new idea, we can make your vision a reality.

### **Current Designs and Specifications:**

As a quality-conscious manufacturer, we are constantly evaluating and improving our products to better serve the needs of our customers. As such, current designs and specifications may change over time without notice.

**Note:** Detailed specifications for all models are available upon request. These specifications generally include all dimensions and a complete list of materials, hardware, available finishes and notes on installation.

# **BIKE PARKING CONSIDERATIONS**

Short Term Parking (0-3 Hours) -



LOCATION

The bike parking area should be located near a major entrance.



VISIBILITY

The bike rack should be easily visible from the road and not in an isolated area.



SPACE

The user can comfortably maneuver around their bike to lock and unlock it.



SAFETY

Bike racks should have ample space around their perimeter to avoid any collisions with surrounding structures.



Long Term Parking (3+ Hours)

### CONVENIENCE

Parking area should be easy to access from the cycling route.



WEATHER PROTECTION

Bike and bike accessories should be kept dry while bikes are parked.



#### SECURITY

Parking area should be well lit, free of hiding places and a video monitor should be visible to the user.



#### AVAILABILITY

Plan your space based on maximum capacity and keep future additions to the parking area in mind.



# LOW VOLUME PARKING

# **Single Post Bike Rack**

The Single Post conveniently parks 2 bikes with a small footprint that minimally impacts the sidewalk space when not in use.

# 2 BIKE CAPACITY



[+] CUSTOM LOGO OPTION AVAILABLE



#### AVAILABLE MODELS:

850200	Surface	
850500	In-Ground	
850390	Surface (Custo	m Logo Plate)
850393	In-Ground (Cu	ıstom Logo Plate)
H: 36″	W: 15.75″	D: 5″

Add 18" (embedded) for In-Ground


# The Bike

The Bike is a unique design that provides multiple locking points to suit any style of bike with excellent security provided by the heavy gauge, steel tubing.

#### State CAPACITY 2 BIKE CAPACITY

6	SURFACE MOUNT
	IN-GROUND MOUNT

+ CUSTOM LOGO OPTION AVAILABLE



#### AVAILABLE MODELS:

850320	Surface	
850325	In-Ground	
850330	Surface (Custe	om Logo Plate)
850335	In-Ground (Custom Logo Plate)	
H: 43.2"	W: 67″	D: 6″

Add 18" (embedded) for In-Ground

# **R-Rack**

The R-Rack is an effective design that provides multiple locking points to suit any style of bike.

### State CAPACITY 2 BIKE CAPACITY

<b>A</b>	SURFACE MOUNT
	IN-GROUND MOUNT

+ CUSTOM LOGO OPTION AVAILABLE



#### AVAILABLE MODELS:

850010	Surface	
850012	In-Ground	
850020	Surface (Cust	om Logo Plate)
850022	In-Ground (C	Custom Logo Plate)
H: 35″	W: 21.3"	D: 6″

Add 12" (embedded) for In-Ground

# **Single Arch Bike Rack**

The Single Arch conveniently parks 2 bikes and maintains a slim profile when not in use.



**GRAPHICS BAR** 

# **Sunset XS Bike Rack**




# **Squared Arch Bike Rack**

The Squared Arch conveniently parks 2 bikes with a slim profile.

#### 



+ CUSTOM LOGO OPTION AVAILABLE



#### AVAILABLE MODELS:

**AVAILABLE MODELS:** 

850360	Surface	
850365	In-Ground	
850370	Surface (8" Cu	istom Logo Plate)
850375	In-Ground (8	" Custom Logo Plate)
H: 35″	W: 30″	D: 5″

Add 18" (embedded) for In-Ground

# 4-Way Bike Hanger Post

The 4-Way Bike Hanger Post is a unique system for storing up to 4 bikes securely off the floor. The rear wheel tray prevents damage from swaying bikes. Well suited for use in a courtyard or common area.

#### √ 4 BIKE CAPACITY

SURFACE MOUNT IN-GROUND MOUNT



#### AVAILABLE MODELS:

 850470
 Surface

 850475
 In-Ground

 H: 78.4"
 W: 58"
 D: 58" Square

Add 24" (embedded) for In-Ground

# Yield Rack

The Yield Rack parks 2 bikes and maintains a slim profile and small footprint when not in use. Excellent security is provided by the heavy gauge round steel tubing.

#### 

SURFACE MOUNT IN-GROUND MOUNT



### AVAILABLE MODELS:

 850310
 Surface

 850315
 In-Ground

 H: 35"
 W: 30"
 D: 6"

Add 18" (embedded) for In-Ground

# **Scooter Rack**

The Scooter Rack provides a convenient place to store up to 5 scooters. Each of the gated slots can be closed to prevent roll away scooters. Each of the gates can be locked with an ownersupplied padlock for added security.

5 SCOOTER CAPACITY

SURFACE MOUNT ONLY



#### AVAILABLE MODELS:

850570 | Surface H: 28.38" W: 59.5" D: 6"

Install minimum 6" from wall

# Chevron

The Chevron offers a bold presence that parks up to 3 bikes. Excellent security is provided by the heavy gauge, square steel tubing that is resistant to typical tube cutters.



SURFACE MOUNT IN-GROUND MOUNT



#### **AVAILABLE MODELS:**

851000	Surface	
851005	In-Ground	
H: 42.6"	W: 19.5″	D: 13″

Add 12" (embedded) for In-Ground

# **Peak Bike Rack**

The Peak Bike Rack represents a subtle variation from the typical arched bike rack and maintains a relatively low profile when not in use.

# 

SURFACE MOUNT IN-GROUND MOUNT



#### **AVAILABLE MODELS:**

850295	Surface*	
850290	In-Ground*	
850298	Surface**	
850297	In-Ground**	
H: 32″	W: 29″	D:6″

\*Stainless Steel \*\*Painted High Strength Steel

Add 6" (embedded) for In-Ground

# Wall Hanger Single Bike Rack

The Wall Hanger Rack is ideal for small, indoor spaces and stores bikes securely up off the floor. Hanger height can be staggered for compact storage. Installation requires location on wall studs or on a masonry/concrete wall.

#### 5 1 BIKE CAPACITY

WALL MOUNT ONLY



#### AVAILABLE MODELS:

850460	Wall Mount	
H: 30.5"	W: 27" *	D: 5″

Minimum 70" from floor to top \*Extends from wall

# **Bike Shelf Hanger**

The Bike Shelf Hanger is ideal for home or office to conveniently park your bike. With an upper shelf and hooks, you can also store your helmet, tools or other bike accessories. Simple maintenance can also be performed while the bike is on the hanger.

67€	1 BIKE CAPACITY
<b>1</b>	WALL MOUNT ONLY



#### AVAILABLE MODELS:

**851150 | Wall Mount** H: 7" W: 12.5" D: 13"

Minimum 40" from floor to top of shelf recommended






# **HIGH VOLUME PARKING**

# Wall Mount 10-Bike Rack

The Wall Mount Rack turns any unused wall into an instant bike parking zone. The shape provides good bike support and multiple locking points on each bike. This rack requires anchoring to a masonry/concrete wall.

5 10 BIKE CAPACITY

\land WALL MOUNT ONLY



#### AVAILABLE MODELS:

**850490 | Wall Mount** H: 28.7" W: 103"


D: 30" From Wall

# **Single Bike Stall**

A Single Bike Stall fits 14 bikes in the space required for one car. Cyclists are separated from the flow of vehicular traffic by an end rack on either side of the stall.

### 5 14 BIKE CAPACITY

- SURFACE MOUNT ONLY
- 08 2011 YCE MOONT 0
- + CUSTOM LOGO OPTION AVAILABLE



### AVAILABLE MODELS:


**854000 | Surface** H: 46" W: 214" D: 62"

# **Double Bike Stall**

A Double Bike Stall fits 28 bikes in the space require for two cars. Cyclists are separated from the flow of vehicular traffic by an end rack on either side of the stall.

#### 5 28 BIKE CAPACITY

- SURFACE MOUNT ONLY
- + CUSTOM LOGO OPTION AVAILABLE



#### AVAILABLE MODELS:

**854000-1A | Surface** H: 46" W: 428" D: 62"


# **Alternating Double Bike Stall**

The Alternating Double Bike Stall allows for cyclists to enter from either side of the stall and keeps a comfortable space between bikes.

### 5 28 BIKE CAPACITY

SURFACE MOUNT ONLY

+ CUSTOM LOGO OPTION AVAILABLE



### AVAILABLE MODELS:

 854000-1A(A) | Surface

 H: 46"
 W: 428"
 D: 62"

# **Bike Stall Components**

End Racks are used as both a stabilizing component and a barrier between cyclists and vehicles. Custom logo panels can be provided on the End Racks.

The **Mid Rack** is the component that bikes are secured to.

The **Joining Post** joins and stabilizes two Mid Racks and provides additional bike capacity.



#### **COMPONENTS:**

854000-E | End Rack 854000-M | Mid Rack 854000-J | Joining Post

# **M-Rack (Standard)**

The M-Rack provides high density bike parking and is available in a variety of lengths to suit your needs. The rolling design of the heavy gauge steel tubing suits a variety of locations.

#### 5 3-11 BIKE CAPACITY





#### **AVAILABLE MODELS:**

2 Humps (3	-5 Bike Capa	city)
850060	Surface	
850110	In-Ground	
H: 35.25"	W: 25.9″	D: 6'
3 Humps (5	5-7 Bike Capa	city)

850080 | Surface 850120 | In-Ground H: 35.25" W: 41.9" D: 6"

```
4 Humps (7-9 Bike Capacity)
850090 | Surface
850130 | In-Ground
H: 35.25" W: 57.9" D: 6"
```

5 Humps (9-11 Bike Capacity) 850100 | Surface 850140 | In-Ground H: 35.25 W: 73.9" D: 6"


Add 18" (embedded) for In-Ground

# **Heavy Duty M-Rack**

The Heavy Duty M-Rack provides the added security of large diameter heavy gauge steel tubing and is available in a variety of lengths to suit your needs. Bikes can be securely locked in place from a wheel and the frame.

### 5-11 BIKE CAPACITY

SURFACE MOUNT IN-GROUND MOUNT



#### AVAILABLE MODELS:

2 Humps (5 Bike Capacity) 850602 | Surface 850612 | In-Ground H: 36" W: 38.4" D: 6"

3 Humps (7 Bike Capacity) 850603 | Surface 850613 | In-Ground H: 36" W: 62.4" D: 6"

 4 Humps (9 Bike Capacity)

 850604
 | Surface

 850614
 | In-Ground

 H: 36"
 W: 86.4"
 D: 6"

5 Humps (11 Bike Capacity) 850605 | Surface 950615 | In-Ground H: 36" W: 110.4" D: 6"


Add 18" (embedded) for In-Ground

## **Raked M-Rack**

The Raked M-Rack is similar to the Heavy Duty M-Rack but incorporates an added bend for enhanced bike support. Bikes can be securely locked in place from the frame and one or both of the wheels. The unique design suits a variety of locations and is available in several lengths.

√ 4-7 BIKE CAPACITY

SURFACE MOUNT



#### **AVAILABLE MODELS:**

2 Humps (4 Bike Capacity) 850702 | Surface 850712 | In-Ground H: 36" W: 38.4" D: 23"

3 Humps (5 Bike Capacity) 850703 | Surface 850713 | In-Ground H: 36" W: 62.4" D: 23"

4 Humps (6 Bike Capacity) 850704 | Surface 850714 | In-Ground H: 36" W: 86.4" D: 23"


5 Humps (7 Bike Capacity) 850705 | Surface 850715 | In-Ground H: 36" W: 110.4" D: 23"

Add 18" (embedded) for In-Ground

# **3-Arch Angled Rack**

The 3-Arch Angled Rack provides an instant bike corral with angled arches to make the most of a small space. The rack is fully welded from heavy wall steel tube and thick steel rails for added security.

# 4-6 BIKE CAPACITY SURFACE MOUNT ONLY



#### **AVAILABLE MODELS:**


850040 | Surface W: 87.1" D: 22.1" H: 35"

# **Multi-R Rail Rack**

The Multi-R Rail Rack provides an instant bike corral and is available in a variety of lengths to suit your needs. Each individual R-Rack provides multiple locking points to suit any style of bike. The modular design breaks down for shipping and allows for replacement of damaged parts.

6-12 BIKE CAPACITY

SURFACE MOUNT ONLY



#### **AVAILABLE MODELS:**

3 Racks (6 E 850813   H: 36.4"		D: 21″	
4 Racks (8 B	Bike Capacity)		
850814	Surface		
H: 36.4"	W: 111″	D: 21″	
5 Racks (10 Bike Capacity)			
850815	Surface		
H: 36.4"	W: 146″	D: 21"	
6 Racks (12 Bike Capacity)			


#### 850816 | Surface H: 36.4" W: 181" D: 21"

# Multi-Arch Rail Rack

The Multi-Arch Rail Rack provides an instant bike corral and is available in a variety of lengths to suit your needs. The surface mount configuration can be anchored for added security or left as portable. The modular design breaks down for shipping and allows for replacement of damaged parts.

# 6-12 BIKE CAPACITY

3 SURFACE MOUNT ONLY



#### **AVAILABLE MODELS:**

3 Arch (6 Bi 850803	ke Capacity)	
H: 36.5″		D: 25.1″
4 Arch (8 Bi	ke Capacity)	
850804	1 1	
	W: 111"	D: 25.1″
п. 50.5	VV. 111	D. 23.1
5 Arch (10 E	Bike Capacity)	
850805	Surface	
H: 36.5″	W: 146″	D: 25.1"
6 Arch (12 E	Bike Capacity)	
850806	Surface	
H: 36.5"	W: 181″	D: 25.1″

# **Triangle Loop Rack**

The Triangle Loop Rack is a secure bike parking solution available in a variety of lengths to suit your needs.

# ी de la BIKE CAPACITY

SURFACE MOUNT ONLY



#### AVAILABLE MODELS:

**3 Loop (4-6 Bike Capacity) 853003 | Surface** H: 35" W: 36" D: 34"

4 Loop (5-7 Bike Capacity) 853004 | Surface H: 35" W: 44.06" D: 34"

5 Loop (6-8 Bike Capacity) 853005 | Surface H: 35" W: 52.13" D: 34"

7 Loop (8-10 Bike Capacity) 853007 | Surface H: 35" W: 68.25" D: 34"

# 5-Loop Rack (Municipal Style)

The 5 Loop Rack provides convenient parking for up to 8 bikes and is favoured by many municipalities. The solid steel loops provide added security and the custom logo panels offer a location for advertising or identification.

#### 6-8 BIKE CAPACITY

SURFACE MOUNT IN-GROUND MOUNT

+ CUSTOM LOGO OPTION AVAILABLE



#### AVAILABLE MODELS:

850030 | Surface 850035 | In-Ground H: 37.4" W: 59" D: 23"


Add 18" (embedded) for In-Ground

# **Ripple Rack**

The Ripple Rack is the perfect combination of excellent bike support and a unique flowing design. Security is provided by the heavy gauge, steel tubing with a custom bend.

6 4−6 BIKE CAPACITY

SURFACE MOUNT ONLY



#### **AVAILABLE MODELS:**

**850260 | Surface** H: 33" W: 51" D: 32.25"

# **High Density Rack**

The High Density Rack provides great security where space is at a premium. The high bike capacity is achieved by utilizing alternating, bidirectional access. The modular design breaks down for shipping and allows for replacement of damaged parts.

ST 3-7 BIKE CAPACITY

SURFACE MOUNT ONLY



#### AVAILABLE MODELS:

3 Bike Capa 850430		
H: 28.38″	W: 30.25"	D: 16"
5 Bike Capa 850440		
H: 28.38″	W: 44″	D: 16"
7 Bike Capa		

 850450
 Surface

 H: 28.38"
 W: 57.75"
 D: 16"



# **BIKE SHELTERS**

# 2-Post Bike Shelter

With its smaller footprint, this simple but effective shelter can protect 6-8 bikes from the worst elements and the midday sun. The frame is constructed from rugged, tubular steel and the roofing panels are corrugated steel. This design is simple to assemble and multiple 2-Post shelters can be linked together (daisy-chained) to provide a protective colonnade of infinite length. Columns can be anchored directly to a reinforced concrete pad or to concrete piers.





#### AVAILABLE MODELS:

**855020 | Surface** H: 101" W: 135" D: 77"

# **4-Post Bike Shelter**

This shelter is designed to provide maximum weather protection for 10 or more bikes. The frame is constructed from rugged, tubular steel and the roofing panels are corrugated steel. This design provides superior stability and the modular system is simple to assemble. Columns can be anchored directly to a reinforced concrete pad or four separate concrete piers.

SURFACE MOUNT ONLY



#### AVAILABLE MODELS:

**855010 | Surface** H: 103" W: 192" D: 89"

# **Cycle Sitter**

The Cycle Sitter provides secure, weatherresistant protection for your bike(s). Each bike nests in its own compartment with a separate locking door. With a user-supplied padlock, your bike and gear can be safely stored away from prying eyes. Solid sheet and tubular steel construction with no exposed fasteners provides extra security.

#### Dike capacity

SURFACE MOUNT ONLY




#### AVAILABLE MODELS:

**855950 | Surface** H: 50" W: 42" D: 76"


# **CUSTOM PARKING**

# Something Fishy 3-D Bike Rack

The Something Fishy Rack is a unique way to add whimsical fun to bike parking and complements themed areas. The triangular loops provide secure locking points.



IN-GROUND MOUNT



#### **AVAILABLE MODELS:**

850165	Surface	
850167	In-Ground	
H: 51.9"	W: 114.3"	D: 20" (Loops)

Add 18" (embedded) for In-Ground

# **Something Fishy Flat Bike Rack**

The Something Fishy Rack also comes in a flat version with a slimmer profile.

#### 6 7-9 BIKE CAPACITY



SURFACE MOUNT IN-GROUND MOUNT



#### **AVAILABLE MODELS:**

850160	Surface	
850162	In-Ground	
H: 51.9"	W: 114.3"	D:6

Add 18" (embedded) for In-Ground

# **Fish Stick**

The Fish Stick comfortably parks 2 bikes while maintaining a modest footprint when not in use. This rack is a playful way to encourage people to secure their bikes and complements themed areas.

√ 2 BIKE CAPACITY

\$

SURFACE MOUNT **IN-GROUND MOUNT** 



#### **AVAILABLE MODELS:**

850170	Surface	
850175	In-Ground	
H: 35″	W: 28″	D:6″

Add 18" (embedded) for In-Ground

# Sea-Breeze Rack

The Sea-Breeze bike rack conveniently parks 2 bikes while maintaining a small footprint and nicely complements themed areas. Installation is simplified with a single base plate which can be anchored to concrete, a wood dock or pier.

# 2 BIKE CAPACITY

SURFACE MOUNT ONLY



#### AVAILABLE MODELS:

**850180 | Surface** H: 34.4" W: 27.6" D: 6"

## **Wave Crest Rack**

The Wave Crest Rack conveniently parks 2 bikes and maintains a slim profile when not in use. Excellent security is provided by the heavy gauge round steel tubing. This rack is the perfect complement for an aquatic or marine environment.

SURFACE MOUNT ONLY



### AVAILABLE MODELS:


**851210 | Surface** H: 36.1" W: 40" D: 6"

# **M-Rack With Custom End Panels**

This is an example of the custom laser cutting offerings available through Greenspoke. This rack is available in a variety of lengths to suit your needs and the rolling design is appropriate for a variety of locations.

5 7-9 BIKE CAPACITY

SURFACE MOUNT ONLY



#### AVAILABLE MODELS:

850550 | Surface H: 35.38" W: 86.38" D: 30"

# **Pretzel Rack**

The Pretzel offers a unique design and added locking contact points are provided by the pretzel twists.

#### 

\$ SURFACE MOUNT IN-GROUND MOUNT



#### **AVAILABLE MODELS:**

850300	Surface	
850305	In-Ground	
H: 41.3"	W: 44″	D:6″

Add 18" (embedded) for In-Ground

# **Bright Idea Rack**

The Bright Idea Rack conveniently parks 2 bikes while maintaining a slim profile when not in use. This rack uses heavy gauge round steel tubing.

### 

8	SURFACE MOUNT IN-GROUND MOUNT



#### **AVAILABLE MODELS:**

850940	Surface	
850945	In-Ground	
H: 42″	W: 30″	D:6

Add 18" (embedded) for In-Ground


# **Corkscrew Rack**

The Corkscrew rack combines excellent bike support with a unique helix shape. The heavy gauge, round steel tubing provides reliable security.

6 BIKE CAPACITY



IN-GROUND MOUNT



#### **AVAILABLE MODELS:**

850980	Surface	
850970	In-Ground	
H: 32.5"	W: 65″	D: 28″

Add 14" (embedded) for In-Ground

# Accordion "Bike" Rack

The Accordion Bike Rack is a unique design that combines our bike theme with the compact M-Rack style. Excellent security is provided by the heavy gauge round steel tubing. The custom logo panel option is a great location for advertising, identification or a commemorative design.

5-9 BIKE CAPACITY

SURFACE MOUNT



#### AVAILABLE MODELS:

5 Bike Capacity 851115 | Surface 851125 | In-Ground 851115-CL | Surface\* 851125-CL | In-Ground\* H: 43" W: 97" D: 6"

7 Bike Capacity 851117 | Surface 851127 | In-Ground 851117-CL | Surface\* 851127-CL | In-Ground\* H: 43" W: 113" D: 6"

### 9 Bike Capacity

 851119 | Surface

 851129 | In-Ground

 851119-CL | Surface\*

 851129-CL | In-Ground\*

 H: 43"
 W: 129"
 D: 6"

\*With Custom Graphics Plate

Add 18" (embedded) for In-Ground



# **BIKE REPAIR**

# **Freestanding Bike Repair Post**

The Freestanding Bike Repair Post offers two bike hangers and a full set of the most commonly required bike repair tools suspended from either high-security chain or aircraft cable.

SURFACE MOUNT ONLY



#### **AVAILABLE MODELS:**

**RP-V1** H: 59" W: 16" D: 33"

#### **TOOLS INCLUDED:**

- Phillips Screwdriver
- Flat Head Screwdriver
- Allen Wrench Combo Set: 2.5, 3, 4, 5, 6 and 8 mm
- Open-end, flat wrenches for pedals, hubs and bearings: 13, 14, 15 and 16 mm (qty of 2)
- Open-end, flat wrench for head set: 30, 32, 36 and 40 mm
- 6" adjustable wrench for axle nuts, etc.
- Tire Irons (qty of 2)

# **Freestanding Pump**

The Freestanding Pump provides a convenient way for you to air up your bike's tires. The industrial air cylinder provides high pressure air without the maintenance typically required by diaphragm style pumps. All components are securely housed in a rugged cabinet.

SURFACE MOUNT ONLY




#### **AVAILABLE MODELS:**

GP-V1		
H: 51″	W: 39" (Max)	D: 10″

# Wall Mount Repair Station

The Wall Mount Repair Station provides 9 of the most commonly required tools for road-side repairs or adjustments. The tools are safely secured on flexible tethers that are secured to a low-profile locking channel which is mounted to the wall. The decorative cover provides a further level of security by hiding the channel locking points.





#### AVAILABLE MODELS:

**RP-V4** H: 56.4" W: 15.6" D: 6"

#### **TOOLS INCLUDED:**

- Phillips Screwdriver
- Flat Head Screwdriver
- Allen Wrench Combo Set: 2.5, 3, 4, 5, 6 and 8 mm
- Open-end, flat wrenches for pedals, hubs and bearings: 13, 14, 15 and 16 mm (qty of 2)
- Open-end, flat wrench for head set: 30, 32, 36 and 40 mm
- 6" adjustable wrench for axle nuts, etc.
- Tire Irons (qty of 2)

# Freestanding Bike Repair Post With Integrated Pump

The Repair Post is a convenient place to perform road-side bike repairs or fill a tire while holding your bike on the built-in hanger. All components are securely housed in a rugged enclosure.

SURFACE MOUNT ONLY



#### AVAILABLE MODELS:

RP-V5		
H: 58″	W: 37″	D: 12″

#### **TOOLS INCLUDED:**

- Phillips Screwdriver
- Flat Head Screwdriver
- Allen Wrench Combo Set: 2.5, 3, 4, 5, 6 and 8 mm
- Open-end, flat wrenches for pedals, hubs and bearings: 13, 14, 15 and 16 mm (qty of 2)
- Open-end, flat wrench for head set: 30, 32, 36 and 40 mm
- 6" adjustable wrench for axle nuts, etc.
- Tire Irons (qty of 2)



# **PRODUCT INDEX**

# LOW VOLUME PARKING

Single Post Bike Rack5
850200   Surface
850500   In-Ground
850390   Surface (Custom Logo Plate)
850393   In-Ground (Custom Logo Plate)
The Bike 5
850320   Surface
850325   In-Ground
850330   Surface (Custom Logo Plate)
850335   In-Ground (Custom Logo Plate)
R-Rack 5
850010   Surface
850012   In-Ground
850020   Surface (Custom Logo Plate)
850022   In-Ground (Custom Logo Plate)
Single Arch Bike Rack
850220   Surface
850225   In-Ground
850400   Surface (8" Custom Logo Plate)
850405   In-Ground (8" Custom Logo Plate)
850050 Surface (3" Graphics Bar)
850055   In-Ground (3" Graphics Bar)
Sunset XS Bike Rack6
850410   Surface
850420 Surface (8" Custom Logo Plate)
Squared Arch Bike Rack 6
850360   Surface
850365   In-Ground
850370 Surface (8" Custom Logo Plate)
850375   In-Ground (8" Custom Logo Plate)
4-Way Bike Hanger Post7
850470   Surface
850475   In-Ground
Yield Rack 7
850310   Surface
850315   In-Ground

Scooter Rack
Chevron
851000   Surface
851005   In-Ground
Peak Bike Rack8
850295   Surface*
850290   In-Ground*
850298   Surface**
850297   In-Ground**
Wall Hanger Single Bike Rack
850460   Wall Mount
Bike Shelf Hanger

# **HIGH VOLUME PARKING**

Wall Mount 10-Bike Rack
Single Bike Stall 11 854000   Surface
Double Bike Stall 11 854000-1A   Surface
Alternating Double Bike Stall 12 854000-1A(A)   Surface
Bike Stall Components 12 854000-E   End Rack 854000-M   Mid Rack 854000-J   Joining Post
M-Rack (Standard) 12 2 Humps (3-5 Bike Capacity) 850060   Surface 850110   In-Ground
3 Humps (5-7 Bike Capacity) 850080   Surface 850120   In-Ground

4 Humps (7-9 Bike Capacity) 850090   Surface	4 Racks (8 Bike Capacity) 850814   Surface
850130   In-Ground 5 Humps (9-11 Bike Capacity)	5 Racks (10 Bike Capacity) 850815   Surface
850100   Surface	6 Racks (12 Bike Capacity)
850140   In-Ground	850816   Surface
Heavy Duty M-Rack 13	Multi-Arch Rail Rack14
2 Humps (5 Bike Capacity)	3 Arch (6 Bike Capacity)
850602   Surface	850803   Surface
850612   In-Ground	4 Arch (8 Bike Capacity)
3 Humps (7 Bike Capacity)	850804   Surface
850603   Surface	
850613   In-Ground	5 Arch (10 Bike Capacity) 850805   Surface
4 Humps (9 Bike Capacity)	
850604   Surface	6 Arch (12 Bike Capacity)
850614   In-Ground	850806   Surface
5 Humps (11 Bike Capacity)	Triangle Loop Rack15
850605   Surface	3 Loop (4-6 Bike Capacity)
950615   In-Ground	853003   Surface
Raked M-Rack	4 Loop (5-7 Bike Capacity) 853004   Surface
2 Humps (4 Bike Capacity)	853004   Surface
2 Humps (4 Bike Capacity) 850702   Surface	853004   Surface 5 Loop (6-8 Bike Capacity)
2 Humps (4 Bike Capacity) 850702   Surface 850712   In-Ground	853004   Surface 5 Loop (6-8 Bike Capacity) 853005   Surface
2 Humps (4 Bike Capacity) 850702   Surface 850712   In-Ground 3 Humps (5 Bike Capacity)	853004   Surface 5 Loop (6-8 Bike Capacity) 853005   Surface 7 Loop (8-10 Bike Capacity)
2 Humps (4 Bike Capacity) 850702   Surface 850712   In-Ground 3 Humps (5 Bike Capacity) 850703   Surface	853004   Surface 5 Loop (6-8 Bike Capacity) 853005   Surface
2 Humps (4 Bike Capacity) 850702   Surface 850712   In-Ground 3 Humps (5 Bike Capacity)	853004   Surface 5 Loop (6-8 Bike Capacity) 853005   Surface 7 Loop (8-10 Bike Capacity)
2 Humps (4 Bike Capacity) 850702   Surface 850712   In-Ground 3 Humps (5 Bike Capacity) 850703   Surface 850713   In-Ground 4 Humps (6 Bike Capacity)	853004   Surface 5 Loop (6-8 Bike Capacity) 853005   Surface 7 Loop (8-10 Bike Capacity) 853007   Surface
2 Humps (4 Bike Capacity) 850702   Surface 850712   In-Ground 3 Humps (5 Bike Capacity) 850703   Surface 850713   In-Ground 4 Humps (6 Bike Capacity) 850704   Surface	<ul> <li>853004   Surface</li> <li>5 Loop (6-8 Bike Capacity)</li> <li>853005   Surface</li> <li>7 Loop (8-10 Bike Capacity)</li> <li>853007   Surface</li> <li>5-Loop Rack (Municipal Style)</li></ul>
2 Humps (4 Bike Capacity) 850702   Surface 850712   In-Ground 3 Humps (5 Bike Capacity) 850703   Surface 850713   In-Ground 4 Humps (6 Bike Capacity)	<ul> <li>853004   Surface</li> <li>5 Loop (6-8 Bike Capacity)</li> <li>853005   Surface</li> <li>7 Loop (8-10 Bike Capacity)</li> <li>853007   Surface</li> <li>5-Loop Rack (Municipal Style)</li></ul>
2 Humps (4 Bike Capacity) 850702   Surface 850712   In-Ground 3 Humps (5 Bike Capacity) 850703   Surface 850713   In-Ground 4 Humps (6 Bike Capacity) 850704   Surface	853004   Surface         5 Loop (6-8 Bike Capacity)         853005   Surface         7 Loop (8-10 Bike Capacity)         853007   Surface         5-Loop Rack (Municipal Style)         850030   Surface         850035   In-Ground         Ripple Rack.       15
2 Humps (4 Bike Capacity) 850702   Surface 850712   In-Ground 3 Humps (5 Bike Capacity) 850703   Surface 850713   In-Ground 4 Humps (6 Bike Capacity) 850704   Surface 850714   In-Ground	<ul> <li>853004   Surface</li> <li>5 Loop (6-8 Bike Capacity)</li> <li>853005   Surface</li> <li>7 Loop (8-10 Bike Capacity)</li> <li>853007   Surface</li> <li>5-Loop Rack (Municipal Style)</li></ul>
2 Humps (4 Bike Capacity) 850702   Surface 850712   In-Ground 3 Humps (5 Bike Capacity) 850703   Surface 850713   In-Ground 4 Humps (6 Bike Capacity) 850704   Surface 850714   In-Ground 5 Humps (7 Bike Capacity)	853004   Surface         5 Loop (6-8 Bike Capacity)         853005   Surface         7 Loop (8-10 Bike Capacity)         853007   Surface         5-Loop Rack (Municipal Style)         850030   Surface         850035   In-Ground         Ripple Rack.       15
2 Humps (4 Bike Capacity) 850702   Surface 850712   In-Ground 3 Humps (5 Bike Capacity) 850703   Surface 850713   In-Ground 4 Humps (6 Bike Capacity) 850704   Surface 850714   In-Ground 5 Humps (7 Bike Capacity) 850705   Surface 850715   In-Ground	853004   Surface         5 Loop (6-8 Bike Capacity)         853005   Surface         7 Loop (8-10 Bike Capacity)         853007   Surface         5-Loop Rack (Municipal Style)         850030   Surface         850035   In-Ground         Ripple Rack.       15         850260   Surface
2 Humps (4 Bike Capacity) 850702   Surface 850712   In-Ground 3 Humps (5 Bike Capacity) 850703   Surface 850713   In-Ground 4 Humps (6 Bike Capacity) 850704   Surface 850714   In-Ground 5 Humps (7 Bike Capacity) 850705   Surface 850715   In-Ground 3-Arch Angled Rack	853004   Surface         5 Loop (6-8 Bike Capacity)         853005   Surface         7 Loop (8-10 Bike Capacity)         853007   Surface         5-Loop Rack (Municipal Style)         850030   Surface         850035   In-Ground         Ripple Rack.       15         850260   Surface         High Density Rack       16
2 Humps (4 Bike Capacity) 850702   Surface 850712   In-Ground 3 Humps (5 Bike Capacity) 850703   Surface 850713   In-Ground 4 Humps (6 Bike Capacity) 850704   Surface 850714   In-Ground 5 Humps (7 Bike Capacity) 850705   Surface 850715   In-Ground <b>3-Arch Angled Rack</b>	853004   Surface         5 Loop (6-8 Bike Capacity)         853005   Surface         7 Loop (8-10 Bike Capacity)         853007   Surface         5-Loop Rack (Municipal Style)         5-Loop Rack (Municipal Style)         850030   Surface         850035   In-Ground         Ripple Rack.       15         850260   Surface         High Density Rack       16         3 Bike Capacity         850430   Surface         5 Bike Capacity
2 Humps (4 Bike Capacity) 850702   Surface 850712   In-Ground 3 Humps (5 Bike Capacity) 850703   Surface 850713   In-Ground 4 Humps (6 Bike Capacity) 850704   Surface 850714   In-Ground 5 Humps (7 Bike Capacity) 850705   Surface 850715   In-Ground 3-Arch Angled Rack	853004   Surface         5 Loop (6-8 Bike Capacity)         853005   Surface         7 Loop (8-10 Bike Capacity)         853007   Surface         5-Loop Rack (Municipal Style)         5-Loop Rack (Municipal Style)         15         850030   Surface         850035   In-Ground         Ripple Rack       15         850260   Surface         High Density Rack       16         3 Bike Capacity         850430   Surface
2 Humps (4 Bike Capacity) 850702   Surface 850712   In-Ground 3 Humps (5 Bike Capacity) 850703   Surface 850713   In-Ground 4 Humps (6 Bike Capacity) 850704   Surface 850714   In-Ground 5 Humps (7 Bike Capacity) 850705   Surface 850715   In-Ground <b>3-Arch Angled Rack</b>	853004   Surface         5 Loop (6-8 Bike Capacity)         853005   Surface         7 Loop (8-10 Bike Capacity)         853007   Surface         5-Loop Rack (Municipal Style)         5-Loop Rack (Municipal Style)         850030   Surface         850035   In-Ground         Ripple Rack.       15         850260   Surface         High Density Rack       16         3 Bike Capacity         850430   Surface         5 Bike Capacity

# **BIKE SHELTERS**

2-Post Bike Shelter 17
855020   Surface
<b>4-Post Bike Shelter 17</b> 855010   Surface
Cycle Sitter

# **CUSTOM PARKING**

Something Fishy 3-D Bike Rack
850165   Surface
850167   In-Ground
Something Fishy Flat Bike Rack
850160   Surface
850162   In-Ground
Fish Stick
850170   Surface
850175   In-Ground
Sea-Breeze Rack 19
850180   Surface
Wave Crest Rack 19
851210   Surface*
M-Rack With Custom End Panels
850550   Surface
Pretzel Rack
850300   Surface
850305   In-Ground
Bright Idea Rack 20
850940   Surface
850945   In-Ground
Corkscrew Rack
050000   Curfe
850980   Surface

# Accordion "Bike" Rack ...... 21

5 Bike Capacity 851115 | Surface 851125 | In-Ground 851115-CL | Surface\* 851125-CL | In-Ground\* 7 Bike Capacity 851117 | Surface 851127 | In-Ground 851117-CL | Surface\* 851127-CL | In-Ground\* 9 Bike Capacity 851119 | Surface 851129 | In-Ground 851119-CL | Surface\* 851129-CL | In-Ground\*

# **BIKE REPAIR**

Freestanding Bike Repair Post 22 RP-V1
Freestanding Pump 22 GP-V1
Wall Mount Repair Station 22 RP-V4
Freestanding Bike Repair Post With Integrated Pump 23 RP-V5





ε.

PO Box 20027 Northville PO Paris, ON N3L 4A5 \$ 1-844-888-9999

gogreenspoke.com

🐱 info@gogreenspoke.com

🖸 f 🎔